

Fiberon Product Guide

www.fiberondecking.com
1-800-573-8841



Beautiful outdoor living, built for life™

Fiberon Product
Guide

fiberon
Beautiful outdoor living, built for life™

Decking: Horizon Ipe



Decking: Horizon Rosewood
Railing: Horizon Mission Black with Round Metal Black Balusters



Decking: Horizon Ipe



Decking: Pro-Tect Gray Birch
Railing: Horizon Mission White with Square Composite Balusters




Decking: Horizon Ipe



Decking: Pro-Tect Western Cedar
Railing: Horizon Mission White with Round Metal Black Balusters



Decking: Horizon Rosewood
Railing: Horizon Mission with Metal Black Balusters



Decking: Horizon Ipe and Tudor Brown
Railing: Horizon Mission White with Round Metal Black Balusters



Decking: Horizon Ipe
Railing: Horizon Mission White with Square Composite Balusters



Decking: Horizon Ipe

For the most up-to-date information and specifications, visit www.fiberondecking.com.

Table of Contents

Why Choose Fiberon?	2	Fiberon Horizon® Railing - Mission	17-18
Fiberon Outdoor Flooring PVC Decking	3-4	Fiberon Horizon® Railing - Inspirations®	19-20
Fiberon Horizon® Decking	5-6	Fiberon Horizon® Railing - Provincial	21-22
Fiberon Pro-Tect® Decking	7-8	Fiberon Fiberail® Railing	23-24
Fiberon Classic™ Decking	9-10	Fiberon Deck and Rail Lighting	25-26
Fiberon Professional Decking	11-12	Fiberon Decking and Railing Products	27-36
Fiberon Decking Swatches	13-14	Fiberon Warranties	37-44
Fiberon Fascia and Riser Swatches	15-16	Fiberon Care and Maintenance	45-47

Why Choose Fiberon?

Fiberon is an innovation leader in the manufacture and development of PVC and composite decking and railing products. Since its inception in 1997, Fiberon has continued to advance the technology of providing homeowners with products that are both beautiful and durable. Fiberon decking and railing systems have achieved an unequalled reputation for quality performance while presenting homeowners with a wide variety of design choices, colors and grain patterns. Fiberon is dedicated to offering the best and widest selection of products in the business.



Sustainable Products that Save Natural Resources

Fiberon responds to the growing public concern for environmental conservation by offering consumers durable product options that save natural resources, produced in a virtually waste-free manufacturing process. From raw material sourcing to homeowner maintenance, Fiberon outdoor living products incorporate the following sustainable practices and benefits:

- Made from Locally-Sourced, Recycled Materials - Up to 74% Recycled Content
- Produced in an Energy Efficient, Virtually Waste-free Manufacturing Process
- Contributes to High Performance Green Buildings
- Safe for Your Home and for the Environment
- Sustainable—Durable Performance Year after Year



Fiberon Outdoor Flooring PVC Decking


For the most up-to-date information and specifications, visit www.fiberondecking.com.



Decking: ODF Spanish Cedar
Railing: Horizon Mission White with Square Composite Balusters



Decking: ODF Spanish Cedar
Railing: Horizon Mission White with Square Composite Balusters



Decking: ODF Jatoba
Railing: Horizon Inspirations White with Round Metal Black Balusters



Decking: ODF Cedar



Cedar

Driftwood

Jatoba

Spanish Cedar


Actual production products may vary from colors shown.

Fiberon Outdoor Flooring PVC Decking

Fiberon Outdoor Flooring is premium PVC decking unsurpassed in providing solutions to the problems of fading, staining and chalking. With exotic hardwood colors, Outdoor Flooring sets the standard in beauty and provides the ultimate in low maintenance. Carrying a Class A rating for flame spread, Outdoor Flooring meets California's code requirements in WUI areas. Backed by the industry's first Stain and Fade warranty, Outdoor Flooring is also backed by a limited lifetime performance warranty. Outdoor Flooring is the premium decking product in both performance and beauty.

- Beautiful solid and exotic hardwood colors and grains
- Lumenite® coating for stain and fade resistance
- Easy to clean and maintain
- Cooler deck surfaces made of lightweight PVC
- Class A flame spread rating - meets CA WUI requirements
- Installs with the exclusive Deck Pilot® for a smooth, fastener-free surface

Deck Boards: Nominal 1 in. x 5.5 in. x 12, 16 & 20 ft.
Fascia: Nominal .5 in. x 11.75 in. x 12 ft. Available in Jatoba, Spanish Cedar, Driftwood and Cedar
Outdoor Flooring Decking Accessories: Deck Pilot Tool Kit (Tool with 2 bushings), Deck Pilot Bit Cards (2 per card), and Deck Pilot Screws (350 screws and 2 replacement bushings per box)



Outdoor Flooring PVC Decking
Square Edge (SE)



Fiberon Deck Pilot® designed for exclusive use with Outdoor Flooring PVC for a smooth, fastener-free surface




Backed by the industry's first Stain and Fade Warranty

Fiberon Horizon® Decking


For the most up-to-date information and specifications, visit www.fiberondecking.com.




Decking: Horizon Ipe



Decking: Horizon Tudor Brown
Railing: Horizon Mission White with Round Metal Black Balusters



Decking: Horizon Castle Gray
Railing: Horizon Mission Black with Round Metal Black Balusters



Decking: Horizon Rosewood
Railing: Horizon Mission Black with Round Metal Black Balusters



Greystone




Tudor Brown



Castle Gray



Rosewood



Ipe

Actual production products may vary from colors shown.

Fiberon Horizon Decking


Horizon Decking is the industry leader in providing the most dramatic tropical looks and resilient surface available in composite decking. It's unmatched multi-color offerings feature a 25-year, industry first, stain and fade warranty. Capped on all four sides, patent-pending PermaTech® technology provides protection and durability for the ultimate in beautiful, low maintenance, composite decking, also backed by a 25-year limited performance warranty.

- Striking looks emulate exotic, tropical hardwoods
- Stain and fade resistant
- Patent-pending PermaTech® for long lasting protective surfaces
- Reversible board capped on all four sides for durability

Deck Boards: Nominal .94 in. x 5.4 in. x 12, 16 & 20 ft. (Grooved)
Available in 20 ft. Square Edge Only
Fascia: Nominal .75 in. x 11.25 in. x 12 ft.
Riser Board: Nominal .75 in. x 7.25 in. x 12 ft.
Available in Ipe, Rosewood, Tudor Brown, Castle Gray and Greystone



Horizon Decking Square Edge (SE)



Horizon Decking Grooved (GV)



Phantom® Hidden Deck Fasteners by Fiberon




Backed by the industry's first Stain and Fade Warranty



The Fiberon Deck Spacer tool, ensures needed end to end gapping through seasonal expansion and contraction for adequate drainage and air flow.

Fiberon Pro-Tect® Decking

For the most up-to-date information and specifications, visit www.fiberondecking.com.




Decking: Pro-Tect Western Cedar
Railing: Horizon Mission White with Round Metal Black Balusters



Decking: Pro-Tect Gray Birch
Railing: Horizon Mission White with Square Composite White Balusters



Decking: Pro-Tect Western Cedar
Railing: Horizon Mission White with Round Metal Black Balusters



Decking: Pro-Tect Chestnut
Railing: Horizon Mission White with Round Metal Black Balusters

Fiberon Pro-Tect Decking

Deep, rich tones with subtle streaking and realistic wood grains add beauty and dimension to your outdoor living space. Capped on three sides, the PermaTech surface offers exceptional stain and fade resistance for true low maintenance. Protect your deck with a beautiful and durable surface warranted for 20 years for performance and stain and fade resistance.

- The elegant look of natural hardwoods
- Multi-chromatic and solid colors with realistic wood grain
- Protective PermaTech surface provides enduring beauty
- Stain and fade resistant backed by a 20-year, limited warranty
- Durable surface capped on three sides

Deck Boards: Nominal .93 in. x 5.3 in. x 12, 16 & 20 ft. Grooved
Available in 20 ft. Square Edge Only
Fascia: Nominal .75 in. x 11.25 in. x 12 ft. Available in Chestnut, Western Cedar and Gray Birch



Phantom® Hidden Deck Fasteners by Fiberon



Backed by the industry's first Stain and Fade Warranty



Canyon Brown
Solid



Harbor Gray
Solid



Chestnut
Multi-colored



Gray Birch
Multi-colored



Western Cedar
Multi-colored

Actual production products may vary from colors shown.



Pro-Tect Decking Square Edge (SE)



Pro-Tect Decking Grooved (GV)



The Fiberon Deck Spacer tool, ensures needed end to end gapping through seasonal expansion and contraction for adequate drainage and air flow.

Fiberon Classic™ Decking

For the most up-to-date information and specifications, visit www.fiberondecking.com.



Decking: Classic Timber
Railing: Horizon Mission White with Round Metal Black Balusters



Decking: Classic Granite



Decking: Classic Timber



Decking: Classic Granite

Fiberon Classic Decking

Fiberon Classic Decking

Fiberon Classic decking is available in two solid colors, Timber and Granite, that feature deep, rich colors with natural wood grain patterns. Built on proven composite performance, Fiberon Classic resists termites, splinters and decay and is backed by a 20-year limited performance warranty.

- No painting or staining
- Rich colors with natural wood graining
- Resistant to termites, splinters and decay

Deck Boards: Nominal .93 in. x 5.25 in. x 12, 16 & 20 ft. Square Edge Only
Fascia: Nominal .75 in. x 11.25 in. x 12 ft. Available in solid colors, Brown and Gray, designed to complement Classic decking colors.

Installed



Approximately 120 Days Weathering



Granite




Timber

Actual production products may vary from colors shown.

IMPORTANT

- **Cleaning mold or other stains is required at least semi-annually or more frequently depending on location and customer preference.**
- **Color tone will lighten during initial weathering, in approximately 120 days.**



Classic Decking Square Edge (SE)



The Fiberon Deck Spacer tool, ensures needed end to end gapping through seasonal expansion and contraction for adequate drainage and air flow.



Fiberon Professional Decking

Decking: Professional Brown



For the most up-to-date information and specifications, visit www.fiberondecking.com.



Decking: Professional Gray



Decking: Professional Cedar



Decking: Professional Gray

Fiberon Professional Decking

Fiberon Professional Decking

High quality composites emulate the beauty of wood without the need to stain or paint. Fiberon's proven performer offers natural wood grain patterns and colors.

- No painting or staining
- Rich colors with natural wood graining on both sides
- Resistant to termites, splinters and decay
- Docking (2x6) boards available in Gray, special order

Deck Boards: Nominal .93 in. x 5.25 in. x 12, 16 & 20 ft. (Grooved)


Available in 20 ft. Square Edge Only

Dock Boards: Nominal 1.5 in. x 5.5 in. x 16 ft.


Fascia: Nominal .75 in. x 11.375 in. x 12 ft. Available in solid colors, Cedar, Brown and Gray, designed to complement Professional decking colors.



Phantom® Hidden Deck Fasteners by Fiberon



Professional Docking (2x6)
Square Edge (SE) - Special Order



Professional Decking Square Edge (SE)



Professional Decking Grooved (GV)



The Fiberon Deck Spacer tool, ensures needed end to end gapping through seasonal expansion and contraction for adequate drainage and air flow.




IMPORTANT

- **Cleaning mold or other stains is required at least semi-annually or more frequently depending on location and customer preference.**
- **Color tone will lighten during initial weathering, in approximately 120 days.**

Actual production products may vary from colors shown.



Cedar



Gray



Brown

Fiberon Outdoor Flooring PVC Decking



Jatoba

Spanish Cedar

Cedar

Driftwood

Fiberon Pro-Tect Decking



Chestnut

Western Cedar

Gray Birch

Canyon Brown

Harbor Gray

Fiberon Horizon Decking



Rosewood


Tudor Brown

Ipe

Castle Gray

Greystone

Fiberon Professional Decking



Brown

Cedar

Gray

Timber

Granite

Fiberon Classic Decking

Fiberon Outdoor Flooring PVC Fascia



Jatoba

Spanish Cedar

Cedar

Driftwood

Fascia: Nominal .5 in. x 11.75 in. x 12 ft.

Fiberon Pro-Tect Fascia




Chestnut

Western Cedar

Gray Birch

Fascia: Nominal .75 in. x 11.25 in. x 12 ft.

Fiberon Horizon Fascia and Riser Board



Riser Board

Riser Board

Riser Board

Riser Board

Riser Board

Fascia

Fascia

Fascia

Fascia

Fascia

Rosewood

Tudor Brown

Ipe

Castle Gray

Greystone

Fascia: Nominal .75 in. x 11.25 in. x 12 ft.
Riser Board: Nominal .75 in. x 7.25 in. x 12 ft.

Fiberon Professional Fascia



Brown

Cedar

Gray

Fascia: Nominal .75 in. x 11.375 in. x 12 ft.

Fiberon Classic Fascia



Timber



Granite

Fascia: Nominal .75 in. x 11.25 in. x 12 ft.

Fiberon Horizon® Railing - Mission Profile


For the most up-to-date information and specifications, visit www.fiberondecking.com.

Railing: Horizon Mission White with Round Metal Black Balusters



COLOR OPTIONS

Actual production products may vary from colors shown.



Fiberon Horizon Railing - Mission Profile

Delivers design versatility with rich color choices and infill options. Designed to coordinate with Horizon decking, also complements all other Fiberon decking to complete your backyard oasis.

- Flat profile, drink friendly rails, made of low maintenance PVC composite
- Rails and balusters sold separately and in kits:
 - Rails available in 6 ft. (72 in.) and 8 ft. (96 in.). Stair rails available in 6 ft. (72 in.)
 - Rail sections available in 36 in. and 42 in. heights
- Customizable rail design:
 - Square composite or black round metal balusters
 - Rail daggers firmly anchor balusters
 - ClearVisionSystem panels available in clear or bronze
 - Available in 6 ft. (72 in.) and 36 in. height
- ADA Compliant Handrail System available
- Marine grade hardware available special order

4x4 Structural Post: Available in 54 in. (White only)
 Post Sleeve Kit: Available in 4 in. x 4 in. x 48 in. (includes post cap and base moulding)
 Post Sleeve: Available in 108 in. (Post Cap and Base Moulding also sold separately)
 5-3/4 in. x 5-3/4 in. x 48 in. (White only, includes post cap and base moulding)



Composite Square Balusters



Metal Baluster/Dagger



5-3/4 in. x 5-3/4 in. x 48 in. Post Sleeve



Top Rail



Bottom Rail




Fiberon Horizon® Railing - Inspirations® Profile

Decking: Horizon Ipe and Tudor Brown
Railing: Horizon Inspirations in White with Round Metal Black Balusters



For the most up-to-date information and specifications, visit www.fiberondecking.com.



COLOR OPTIONS

Actual production products may vary from colors shown.



Fiberon Horizon Railing - Inspirations Profile

Inspirations Railing, now available in Dark Walnut, offers the traditional beauty of railing with customizable baluster design. Made of strong, durable PVC finish, Inspirations Railing resists cracking and flaking to provide long lasting beauty.

- Elegant profile rails, made of low maintenance PVC composite
- Rails and balusters sold separately and in kits:
 - Rails available in 68 in. and 92 in. lengths. Stair rails available in 68 in. lengths.
 - Rail sections available in 36 in. and 42 in. heights
- Customizable rail design:
 - Beveled composite or black round metal balusters
 - Rail daggers firmly anchor balusters
 - ClearVisionSystem panels available in clear or bronze
 - Available in 68 in. length and 36 in. height
- ADA Compliant Handrail System available
- Marine grade hardware available special order

4x4 Structural Post: Available in 54 in. (White only)
Post Sleeve Kit: Available in 4 in. x 4 in. x 48 in. (includes post cap and base moulding)
Post Sleeve: Available in 108 in. (Post Cap and Base Moulding also sold separately)
5-3/4 in. x 5-3/4 in. x 48 in. (White only, includes post cap and base moulding)



Fiberon Horizon® Railing - Provincial Profile

Railing: Horizon Provincial

For the most up-to-date information and specifications, visit www.fiberondecking.com.




Fiberon Horizon Railing - Provincial

Fiberon Horizon Railing - Provincial Profile

Horizon Provincial Railing provides a classic top rail perfect for balconies and porches. Available in kits, Provincial Railing comes in traditional white, designed to coordinate with all Fiberon decking.

- Traditional profile made of low maintenance PVC composite
 - Rails available in 6 ft. (72 in.) and 8 ft. (96 in.). Stair rails available in 6 ft. (72 in.)
 - Rail sections available in 36 in. heights (available in section kits only)
- Accommodates black round metal balusters
- Customizable rail design:
 - Square composite or black round metal balusters
 - Rail daggers firmly anchor balusters
 - ClearVisionSystem panels available in clear or bronze
 - Available in 6 ft. (72 in.) length and 36 in. height
- ADA Compliant Handrail System available
- Marine grade hardware available special order



Top Rail



Bottom Rail

4x4 Structural Post: Available in 54 in. (White only)
 Post Sleeve Kit: Available in 4 in. x 4 in. x 48 in. (includes post cap and base moulding)
 Post Sleeve: Available in 108 in. (Post Cap and Base Moulding also sold separately)
 5-3/4 in. x 5-3/4 in. x 48 in. (White only, includes post cap and base moulding)



Composite Square Balusters



Metal Baluster/Dagger




5-3/4 in. x 5-3/4 in. x 48 in. Post Sleeve



Fiberon Fiberail® Railing

For the most up-to-date information and specifications, visit www.fiberondecking.com.

Fiberon Fiberail® Railing




Fiberon Fiberail

New Fiberail in classic white offers a sculpted top rail profile perfect for dressing up decking, porches, balconies and stairs. Fiberail pairs well with any architectural style.

Fiberail consists of a premium composite substructure with a permanent PVC finish for a beautiful, sturdy and safe surround. Fiberail is easy to install with the addition of matching rail collars and is backed by a 20-year performance warranty.

- Available in 6 ft. and 8 ft. sections and 6 ft. stair sections
- Strong and durable premium composite substructure and coextruded PVC surface for durability
- Low maintenance and is backed by a 20-year limited performance warranty

4x4 Structural Post: Available in 54 in. (White only)
 Post Sleeve Kit: Available in 4 in. x 4 in. x 48 in. (includes post cap and base moulding)
 Post Sleeve: Available in 108 in. (Post Cap and Base Moulding also sold separately)
 5-3/4 in. x 5-3/4 in. x 48 in. (White only, includes post cap and base moulding)



Top Rail and Bottom Rail have routed holes for Square Balusters



Top and Bottom Rail Brackets



Top and Bottom Stair Brackets



5-3/4 in. x 5-3/4 in. x 48 in. Post Sleeve



Railing: Fiberail with Square Composite White Balusters

Fiberon Deck and Rail Lighting

Lighting: Flat Top LED Post Sleeve Cap in White
and Post Sleeve Light in White
Railing: Horizon Provincial



For the most up-to-date information and specifications, visit www.fiberondecking.com.

Fiberon Deck and Rail Lighting

Fiberon Deck and Rail Lighting

Enjoy your outdoor living space in the evenings with the ambience of refined lighting, complete with a remote control dimmer to set the right mood. Fiberon Outdoor Lighting is available in four distinctive lights, featuring riser lights for added stair safety. Made of rust-free aluminum, all lights are powder-coated for a long-lasting finish. Fiberon Outdoor Lighting uses environmentally-friendly, low voltage, LED technology, which uses 1/12th the amount of electricity to brighten your deck. Four light styles are available in three colors, white, black and bronze.

Post Cap Light

Beautiful post cap available in 4" flat top with opaque lens shines ring of warm light outward for sophisticated post lighting

Side Post Light

3-1/2" eyeball design, directs warm white LED lights down the post to the deck for spot lighting around the deck or to aid in safe footing on stairs

Accent Light

1" diameter small, round, light with warm white LED bulb, installs flush with decking; designed for great accent lighting for deck borders or stairs


Riser Light

Rectangle lighting with opaque lens, especially designed to brighten pathways and stairs





Outdoor Flooring Decking



Outdoor Flooring Fascia



Deck Pilot Tool Kit

ITEM NUMBER

DESCRIPTION (Nominal Sizes)

Fiberon Outdoor Flooring - Square Edge Decking (SE)


PBRDOF DRIFTWOOD 12	1 in. x 5.5 in. x 12 ft. Square Edge ODF Board - Driftwood
PBRDOF DRIFTWOOD 16	1 in. x 5.5 in. x 16 ft. Square Edge ODF Board - Driftwood
PBRDOF DRIFTWOOD 20	1 in. x 5.5 in. x 20 ft. Square Edge ODF Board - Driftwood
PBRDOF CEDAR 12	1 in. x 5.5 in. x 12 ft. Square Edge ODF Board - Cedar
PBRDOF CEDAR 16	1 in. x 5.5 in. x 16 ft. Square Edge ODF Board - Cedar
PBRDOF CEDAR 20	1 in. x 5.5 in. x 20 ft. Square Edge ODF Board - Cedar
PBRDOF SPCDR 12	1 in. x 5.5 in. x 12 ft. Square Edge ODF Board - Spanish Cedar
PBRDOF SPCDR 16	1 in. x 5.5 in. x 16 ft. Square Edge ODF Board - Spanish Cedar
PBRDOF SPCDR 20	1 in. x 5.5 in. x 20 ft. Square Edge ODF Board - Spanish Cedar
PBRDOF JATOBA 12	1 in. x 5.5 in. x 12 ft. Square Edge ODF Board - Jatoba
PBRDOF JATOBA 16	1 in. x 5.5 in. x 16 ft. Square Edge ODF Board - Jatoba
PBRDOF JATOBA 20	1 in. x 5.5 in. x 20 ft. Square Edge ODF Board - Jatoba

Fiberon Outdoor Flooring Fascia Board

PFAS DRFTWD 12	.5 in. x 11.75 in. x 12 ft. ODF Fascia Driftwood
PFAS CEDAR 12	.5 in. x 11.75 in. x 12 ft. ODF Fascia Cedar
PFAS SPCDR 12	.5 in. x 11.75 in. x 12 ft. ODF Fascia Spanish Cedar
PFAS JATOBA 12	.5 in. x 11.75 in. x 12 ft. ODF Fascia Jatoba

Fiberon Outdoor Flooring Accessories

DP2 TOOL KIT	Deck Pilot Tool Kit
DP BIT CARDS	Deck Pilot Bit Cards
DP2 C SCRW 1.6 350	Deck Pilot Screws



Horizon (GV) Decking



Horizon Fascia/Riser Board

ITEM NUMBER

DESCRIPTION (Nominal Sizes)

Fiberon Horizon - Grooved Decking (GV)

BRDTHG IPE 12	.935 in. x 5.4 in. x 12 ft. Grooved Horizon Board - Ipe
BRDTHG IPE 16	.935 in. x 5.4 in. x 16 ft. Grooved Horizon Board - Ipe
BRDTHG IPE 20	.935 in. x 5.4 in. x 20 ft. Grooved Horizon Board - Ipe
BRDTHG ROS 12	.935 in. x 5.4 in. x 12 ft. Grooved Horizon Board - Rosewood
BRDTHG ROS 16	.935 in. x 5.4 in. x 16 ft. Grooved Horizon Board - Rosewood
BRDTHG ROS 20	.935 in. x 5.4 in. x 20 ft. Grooved Horizon Board - Rosewood
BRDTHG TUDOR 12	.935 in. x 5.4 in. x 12 ft. Grooved Horizon Board - Tudor Brown
BRDTHG TUDOR 16	.935 in. x 5.4 in. x 16 ft. Grooved Horizon Board - Tudor Brown
BRDTHG TUDOR 20	.935 in. x 5.4 in. x 20 ft. Grooved Horizon Board - Tudor Brown
BRDTHG CSGRAY 12	.935 in. x 5.4 in. x 12 ft. Grooved Horizon Board - Castle Gray
BRDTHG CSGRAY 16	.935 in. x 5.4 in. x 16 ft. Grooved Horizon Board - Castle Gray
BRDTHG CSGRAY 20	.935 in. x 5.4 in. x 20 ft. Grooved Horizon Board - Castle Gray
BRDTHG GRYSTN 12	.935 in. x 5.4 in. x 12 ft. Grooved Horizon Board - Greystone
BRDTHG GRYSTN 16	.935 in. x 5.4 in. x 16 ft. Grooved Horizon Board - Greystone
BRDTHG GRYSTN 20	.935 in. x 5.4 in. x 20 ft. Grooved Horizon Board - Greystone

Fiberon Horizon - Square Edge Decking (SE)


BRDTH IPE 20	.935 in. x 5.4 in. x 20 ft. Square Edge Horizon Board - Ipe
BRDTH ROS 20	.935 in. x 5.4 in. x 20 ft. Square Edge Horizon Board - Rosewood
BRDTH TUDOR 20	.935 in. x 5.4 in. x 20 ft. Square Edge Horizon Board - Tudor Brown
BRDTH CSGRAY 20	.935 in. x 5.4 in. x 20 ft. Square Edge Horizon Board - Castle Gray
BRDTH GRYSTN 20	.935 in. x 5.4 in. x 20 ft. Square Edge Horizon Board - Greystone

Fiberon Horizon Fascia Board

HCFAS IPE 12	.75 in. x 11.25 in. x 12 ft. Horizon Fascia Board - Ipe
HCFAS ROS 12	.75 in. x 11.25 in. x 12 ft. Horizon Fascia Board - Rosewood
HCFAS TUDOR 12	.75 in. x 11.25 in. x 12 ft. Horizon Fascia Board - Tudor Brown
HCFAS CSGRY 12	.75 in. x 11.25 in. x 12 ft. Horizon Fascia Board - Castle Gray
HCFAS GRYSTN 12	.75 in. x 11.25 in. x 12 ft. Horizon Fascia Board - Greystone

Fiberon Horizon Riser Board

HCRIS IPE 12	.75 in. x 7.25 in. x 12 ft. Horizon Riser Board - Ipe
HCRIS ROS 12	.75 in. x 7.25 in. x 12 ft. Horizon Riser Board - Rosewood
HCRIS TUDOR 12	.75 in. x 7.25 in. x 12 ft. Horizon Riser Board - Tudor Brown
HCRIS CSGRY 12	.75 in. x 7.25 in. x 12 ft. Horizon Riser Board - Castle Gray
HCRIS GRYSTN 12	.75 in. x 7.25 in. x 12 ft. Horizon Riser Board - Greystone



Pro-Tect (GV) Decking




Fiberon Composite Deck Cleaner

ITEM NUMBER	DESCRIPTION (Nominal Sizes)
Fiberon Pro-Tect - Grooved Decking (GV)	
BRDPRTG WC 12	.93 in. x 5.25 in. x 12 ft. Grooved Pro-Tect Board - Western Cedar
BRDPRTG WC 16	.93 in. x 5.25 in. x 16 ft. Grooved Pro-Tect Board - Western Cedar
BRDPRTG WC 20	.93 in. x 5.25 in. x 20 ft. Grooved Pro-Tect Board - Western Cedar
BRDPRTG CN 12	.93 in. x 5.25 in. x 12 ft. Grooved Pro-Tect Board - Chestnut Brown
BRDPRTG CN 16	.93 in. x 5.25 in. x 16 ft. Grooved Pro-Tect Board - Chestnut Brown
BRDPRTG CN 20	.93 in. x 5.25 in. x 20 ft. Grooved Pro-Tect Board - Chestnut Brown
BRDPRTG GB 12	.93 in. x 5.25 in. x 12 ft. Grooved Pro-Tect Board - Gray Birch
BRDPRTG GB 16	.93 in. x 5.25 in. x 16 ft. Grooved Pro-Tect Board - Gray Birch
BRDPRTG GB 20	.93 in. x 5.25 in. x 20 ft. Grooved Pro-Tect Board - Gray Birch
BRDPRTG CB 12	.93 in. x 5.25 in. x 12 ft. Grooved Pro-Tect Board - Canyon Brown
BRDPRTG CB 16	.93 in. x 5.25 in. x 16 ft. Grooved Pro-Tect Board - Canyon Brown
BRDPRTG CB 20	.93 in. x 5.25 in. x 20 ft. Grooved Pro-Tect Board - Canyon Brown
BRDPRTG HG 12	.93 in. x 5.25 in. x 12 ft. Grooved Pro-Tect Board - Harbor Gray
BRDPRTG HG 16	.93 in. x 5.25 in. x 16 ft. Grooved Pro-Tect Board - Harbor Gray
BRDPRTG HG 20	.93 in. x 5.25 in. x 20 ft. Grooved Pro-Tect Board - Harbor Gray
Fiberon Pro-Tect Square - Edge Decking (SE)	
BRDPRT WC 20	.93 in. x 5.25 in. x 20 ft. Square Edge Pro-Tect Board - Western Cedar
BRDPRT CN 20	.93 in. x 5.25 in. x 20 ft. Square Edge Pro-Tect Board - Chestnut Brown
BRDPRT GB 20	.93 in. x 5.25 in. x 20 ft. Square Edge Pro-Tect Board - Gray Birch
BRDPRT CB 20	.93 in. x 5.25 in. x 20 ft. Square Edge Pro-Tect Board - Canyon Brown
BRDPRT HG 20	.93 in. x 5.25 in. x 20 ft. Square Edge Pro-Tect Board - Harbor Gray
Fiberon Pro-Tect Fascia Board	
HCFAS CHESTNUT 12	.75 in. x 11.25 in. x 12 ft. Pro-Tect Fascia Board - Chestnut
HCFAS GRAY BIRCH 12	.75 in. x 11.25 in. x 12 ft. Pro-Tect Fascia Board - Gray Birch
HCFAS WESTERN CDR 12	.75 in. x 11.25 in. x 12 ft. Pro-Tect Fascia Board - Western Cedar
Fiberon Horizon and Pro-Tect Decking Accessories	
DECK CLEANER 1GAL	Fiberon Mineral Cleaner for Capped Composite Decking
Fiberon Professional Series - Grooved Decking (GV)	
BRDME2G G 12	.93 in. x 5.25 in. x 12 ft. Grooved Professional Board - Gray
BRDME2G G 16	.93 in. x 5.25 in. x 16 ft. Grooved Professional Board - Gray
BRDME2G G 20	.93 in. x 5.25 in. x 20 ft. Grooved Professional Board - Gray
BRDME2G G 12	.93 in. x 5.25 in. x 12 ft. Grooved Professional Board - Gray
BRDME2G G 16	.93 in. x 5.25 in. x 16 ft. Grooved Professional Board - Gray
BRDME2G G 20	.93 in. x 5.25 in. x 20 ft. Grooved Professional Board - Gray
ITEM NUMBER	DESCRIPTION (Nominal Sizes)



Professional (SE) Decking



Professional Fascia



Phantom Hidden Deck Fasteners - GT and EC


Fiberon Professional Series - Grooved Decking (GV)	
BRDME2G B 12	.93 in. x 5.25 in. x 12 ft. Grooved Professional Board - Brown
BRDME2G B 16	.93 in. x 5.25 in. x 16 ft. Grooved Professional Board - Brown
BRDME2G B 20	.93 in. x 5.25 in. x 20 ft. Grooved Professional Board - Brown
BRDME2G C 12	.93 in. x 5.25 in. x 12 ft. Grooved Professional Board - Cedar
BRDME2G C 16	.93 in. x 5.25 in. x 16 ft. Grooved Professional Board - Cedar
BRDME2G C 20	.93 in. x 5.25 in. x 20 ft. Grooved Professional Board - Cedar
Fiberon Professional Series - Square Edge Decking (SE)	
BRDME2 G 20	.93 in. x 5.25 in. x 20 ft. Square Edge Professional Board - Gray
BRDME2 B 20	.93 in. x 5.25 in. x 20 ft. Square Edge Professional Board - Brown
BRDME2 C 20	.93 in. x 5.25 in. x 20 ft. Square Edge Professional Board - Cedar
Fiberon Professional Decking Accessories	
BRDME2 G FASCIA 12-3	.75 in. x 11.375 in. x 12 ft. Professional Fascia Board - Gray
BRDME2 B FASCIA 12-3	.75 in. x 11.375 in. x 12 ft. Professional Fascia Board - Brown
BRDME2 C FASCIA 12-3	.75 in. x 11.375 in. x 12 ft. Professional Fascia Board - Cedar
BRDME2 2X6 G 16	1.5 in. x 5.5 in. x 16 ft. Docking Board - Gray
Phantom GT Hidden Fasteners	
BKT BRD PHTM GT B90	Hidden fasteners for grooved decking
Phantom EC Hidden Fasteners	
BKT BRD FIB SRT/STP	End clip fastener for decking and fascia
Fiberon Hidden Fasteners (Screw - Buckets)	
BKT BRD FIBERON C900	Fiberon Hidden Fastener - 900 count bucket - screws and driver bits
Fiberon Hidden Fasteners (Gunnable - Buckets)	
BKT BRD FIB GUN C900	Fiberon Hidden Fastener - 900 count bucket - ballistic screws
Fiberon Ballistic Gun	
BKT BRD FIB GUN	Ballistic NailScrew Driver Kit - includes case, swivel hose fitting, belt hook, safety glasses, allen wrenches and oil.
BKT BRD FIB GUN ATCH	Balistic NailScrew Driver Attachment
ITEM NUMBER	DESCRIPTION (Nominal Sizes)



Fiberon Classic Decking



Fiberon Deck Spacer Tool



Top rail and Bottom Rail have routed holes for Square Balusters



Top and Bottom Rail Brackets

ITEM NUMBER

Fiberon Classic Decking

BRDCLS TIMBER 12
BRDCLS TIMBER 16
BRDCLS TIMBER 20
BRDCLS GRANITE 12
BRDCLS GRANITE 16
BRDCLS GRANITE 20

Fiberon Classic Fascia

BRDCLS FAS TIMBER 12
BRDCLS FAS GRANIT 12

Fiberon Deck Spacer Tool

DECK SPACER TOOL

Fiberon Fiberrail Railing

Fiberrail Rail Kits

SEC13 D 6 KD W/HWAC
SEC13 D 6 KD W/H38AC
SEC13 D 8 KD W/HWAC
SEC13 D 8 KD W/H38AC

Fiberrail Stair Kits

SEC13 DS 6 KD W/HWAC

SEC13 DS 6 KD W/H38AC

Fiberrail Hardware

BKT D 4 PK AC
BKT DS 2 PK AC
BKT UNIV ADAPT 2 PK

DESCRIPTION (Nominal Sizes)

.92 in. x 5.25 in. x 12 ft. Square Edge Classic Board
.92 in. x 5.25 in. x 16 ft. Square Edge Classic Board
.92 in. x 5.25 in. x 20 ft. Square Edge Classic Board
.92 in. x 5.25 in. x 12 ft. Square Edge Classic Board
.92 in. x 5.25 in. x 16 ft. Square Edge Classic Board
.92 in. x 5.25 in. x 20 ft. Square Edge Classic Board

.75 in. x 11.25 in. x 12 ft. Classic Fascia Board
.75 in. x 11.25 in. x 12 ft. Classic Fascia Board

Ensures proper deck board spacing

6 ft. Fiberrail Section KD w/ Hardware (15-33.5 in. Balusters)
6 ft. Fiberrail Section KD w/ Hardware (15-38 in. Balusters)
8 ft. Fiberrail Section KD w/ Hardware (20-33.5 in. Balusters)
8 ft. Fiberrail Section KD w/ Hardware (20-38 in. Balusters)

6 ft. Fiberrail Stair Section KD w/ Hardware (15-33.5 in. Balusters w/30 stair adapters)
6 ft. Fiberrail Stair Section KD w/ Hardware (15-38 in. Balusters w/30 stair adapters)

4 Pack Rail Brackets - AC/174
2 Pack Stair Brackets - AC/174
2 Pack Universal Angle Adapter



Recessed Lighting



Post Cap Lighting



Side Post Lighting



Riser Light

ITEM NUMBER

Fiberon Deck Lighting

Fiberon Recessed Lighting Kits

REC LED KIT WHITE
REC LED 10PK WHITE
REC LED 2 PK WHITE
REC DRILL BIT
REC WIRE CLIP BLUE

Fiberon LED Lighting Post Sleeve Caps

CAP FLAT LED 4 WHITE
CAP FLAT LED 4 BRONZ
CAP FLAT LED 4 BLACK

Fiberon Post Sleeve Caps w/o Light

CAP FLAT 4 WHITE
CAP FLAT 4 BRONZE
CAP FLAT 4 BLACK

Fiberon Walkway and Step Lighting

POST EYEBALL LT WH
POST EYEBALL LT BZ
POST EYEBALL LT BL
RISER LIGHT WHITE
RISER LIGHT BRONZE
RISER LIGHT BLACK

Fiberon Wire and Transformers

REC 10' 22/2GA WIRE
REC REMOTE DIMMER
REC HANDHELD REMOTE
REC TRANSFORMER
REC WIRE NUTS 10PK
REC 110V TIMER

DESCRIPTION (Nominal Sizes)

Recessed 10 LED Kit - White
Recessed LED 10 Pack - White
Recessed LED 2 Pack - White
Recessed Light Bit (2-in-1 Bit 3/4 in. and 1-1/8 in.)
Wire Connector Clip - Blue

4 in. Flat Top LED 1 Watt Post Cap - White
4 in. Flat Top LED 1 Watt Post Cap - Bronze
4 in. Flat Top LED 1 Watt Post Cap - Black


4 in. Flat Top Post Cap - White
4 in. Flat Top Post Cap - Bronze
4 in. Flat Top Post Cap - Black

3-1/2 in. LED 12 Volt 1 Watt Eyeball Light - White
3-1/2 in. LED 12 Volt 1 Watt Eyeball Light - Bronze
3-1/2 in. LED 12 Volt 1 Watt Eyeball Light - Black
Recessed Riser Light 12 Volt 1 Watt LED - White
Recessed Riser Light 12 Volt 1 Watt LED - Bronze
Recessed Riser Light 12 Volt 1 Watt LED - Black


LED Low Voltage Wire, 100 ft. 22/2 GA (12 Volt DC)
DC Remote Dimmer, DC Systems Only (12 Volt DC)
Dimmer Handheld Remote Only (12 Volt DC)
DC Transformer (Use up to 120 Phoenix Lights - 12 Volt DC)
Silicone Filled Wire Nuts - 10 Pack
Photoelectric Timer 110 Volt (1-8 Hour Operation)



Horizon Inspirations Rail Section



Horizon Mission Rail Section



Horizon Provincial Rail Section

Horizon Railing Sections - Inspirations

SEC9 I WH 6 KD W/HW	68 in. x 36 in. White Inspirations Section
SEC9 I WH 8 KD W/HW	92 in. x 36 in. White Inspirations Section
SEC9 IS WH 6 KD W/HW	68 in. x 36 in. White Inspirations Stair Section
SEC9 I WH 6 KD 35.5B	68 in. x 42 in. White Inspirations Section
SEC9 I WH 8 KD 35.5B	92 in. x 42 in. White Inspirations Section

Horizon Railing Sections - Mission

SEC12 M WH 6 KD W/HW C	6 ft. (72 in.) x 36 in. White Mission Section
SEC12 M WH 6 KD 35.5B C	6 ft. (72 in.) x 42 in. White Mission Section
SEC12 M WH 8 KD W/HW C	8 ft. (96 in.) x 36 in. White Mission Section
SEC12 M WH 8 KD 35.5B C	8 ft. (96 in.) x 42 in. White Mission Section
SEC12 MS WH 6 KD W/HW C	6 ft. (72 in.) x 36 in. White Mission Stair Section

Horizon Railing Sections - Provincial

SEC9 P WH 6 KD W/HW	6 ft. (72 in.) x 36 in. White Provincial Section
SEC9 P WH 8 KD W/HW	8 ft. (96 in.) x 36 in. White Provincial Section
SEC12 PS WH 6 KD W/HW	6 ft. (72 in.) x 36 in. White Provincial Stair Section

Horizon Rail sections include top and bottom rails, balusters, daggers, hardware, crush block, and installation instructions.

Horizon Rail Kits - Inspirations

RL KIT I 6 LN WHT	68 in. x 36 in. White Inspirations Line Kit
RL KIT I 8 LN WHT	92 in. x 36 in. White Inspirations Line Kit
RL KIT I 6 ST WHT	68 in. x 36 in. White Inspirations Stair Kit
RL KIT I 6 LN BW C	68 in. x 36 in. Dark Walnut Inspirations Line Kit
RL KIT I 8 LN BW C	92 in. x 36 in. Dark Walnut Inspirations Line Kit
RL KIT I 6 ST BW C	68 in. x 36 in. Dark Walnut Inspirations Stair Kit

Horizon Rail Kits - Mission

RL12 KIT M 6 LN WH C	6 ft. (72 in.) White Mission Line Kit
RL12 KIT M 8 LN WH C	8 ft. (96 in.) White Mission Line Kit
RL12 KIT2 M 6 ST WH C	6 ft. (72 in.) White Mission Stair Kit
RL12 KIT M 6 LN BZ C	6 ft. (72 in.) Bronze Mission Line Kit
RL12 KIT M 8 LN BZ C	8 ft. (96 in.) Bronze Mission Line Kit
RL12 KIT2 M 6 ST BZ C	6 ft. (72 in.) Bronze Mission Stair Kit
RL12 KIT M 6 LN BL C	6 ft. (72 in.) Black Mission Line Kit
RL12 KIT M 8 LN BL C	8 ft. (96 in.) Black Mission Line Kit
RL12 KIT2 M 6 ST BL C	6 ft. (72 in.) Black Mission Stair Kit

Horizon Rail kits includes top and bottom rails, daggers, hardware, crush block, and installation instructions.

ITEM NUMBER	DESCRIPTION (Nominal Sizes)
-------------	-----------------------------



Horizon Mission Rail Kit



Horizon Inspirations Rail Kit



CVS hardware, gaskets and panel swatches



Metal Baluster/Dagger

ClearVisionSystem

RL12 KIT 6 CVS WHT	ClearVisionSystem White 65 in. top/bottom gasket and aluminum track kit
RL12 KIT 6 CVS BLK	ClearVisionSystem Black 65 in. top/bottom gasket and aluminum track kit
ACRYLIC SHEET CLEAR	28.5 in. x 65 in. ClearVisionSystem Panel - Clear
ACRYLIC SHEET BRONZE	28.5 in. x 65 in. ClearVisionSystem Panel - Bronze

Composite Square Balusters

BAL SQ 29.5 KIT WHT	White Composite Square Baluster 29.5 in. (36 in. Line)
BAL SQ 35.5 KIT WHT	White Composite Square Baluster 35.5 in. (36 in. Stair and 42 in. Line)
BAL SQ 35.5 KIT BRZ	Bronze Composite Square Baluster 35.5 in. (36 in. Stair and 42 in. Line)
BAL SQ 35.5 KIT BLK	Black Composite Square Baluster 35.5 in. (36 in. Stair and 42 in. Line)
BAL SQ 35.5 KIT BW C	Dark Walnut Composite Square Baluster 35.5 in. (36 in. Stair and 42 in. Line)

Composite Beveled Balusters

BAL BV 29.5 KIT WHT	White Composite Beveled Baluster Kit for 36 in. height installation
BAL BV 35.5 KIT WHT	White Composite Beveled Baluster Kit for 42 in. height installation

Horizon Metal Balusters

BAL RD 29.5 LK-HP BL	Black Round Metal Baluster 29.5 in. (36 in. Line)
BAL RD 35.5 LK-HP BL	Black Round Metal Baluster 35.5 in. (42 in. Line)
BAL RD 35.5 SK-HP BL	Black Round Metal Baluster 35.5 in. (36 in. Stair)

Posts and Post Sleeve Kits

POST SLV KIT 6X6B WH	White Composite Post Sleeve 5-3/4 in. x 5-3/4 in. x 48 in. w/ Bead
POST SLV KIT2 48WHT	White Composite Post Sleeve Kit 4 in. x 4 in. x 48 in. w/ Bead
POST SLV KIT2 48BRZ	Bronze Composite Post Sleeve Kit 4 in. x 4 in. x 48 in. w/ Bead
POST SLV KIT2 48BLK	Black Composite Post Sleeve Kit 4 in. x 4 in. x 48 in. w/ Bead
POST SL KIT2 48BW C	Dark Walnut Composite Post Sleeve Kit 4 in. x 4 in. x 48 in. w/ Bead
POST SLV CMP2 108BWH	White Composite Post Sleeve 4 in. x 4 in. x 108 in. w/ Bead
POST SLV CMP2 108BBZ	Bronze Composite Post Sleeve 4 in. x 4 in. x 108 in. w/ Bead
POST SLV CMP2 108BBL	Black Composite Post Sleeve 4 in. x 4 in. x 108 in. w/ Bead
POST SLV CMP2 108BBL	Black Composite Post Sleeve 4 in. x 4 in. x 108 in. w/ Bead
POST SL CMP2 108BBWC	Dark Walnut Composite Post Sleeve 4 in. x 4 in. x 108 in. w/ Bead
POST STRUC KIT 54 WH	White Structural Post 4 in. x 4 in. x 54 in. w/ Bead

4 in. x 4 in. x 48 in. Post Sleeve and 4 in. x 4 in. x 54 in. Structural Post Kits (White only) include Harbour Cap and Post Moulding. The 4 in. x 4 in. x 108 in. Post Sleeve does not include the Harbour Cap and Post Moulding. The 5-3/4 in. x 5-3/4 in. x 48 in. Post Sleeve Kit (White only) includes Post Adaptors, Harbour Cap and Post Moulding.

ITEM NUMBER	DESCRIPTION (Nominal Sizes)
-------------	-----------------------------



Composite Post Sleeve



Post Sleeve Surface Mount



Stair Brackets



Angle Brackets

Horizon Railing Hardware

BKT LINE 4 PK INSP
 BKT STAIR 4 PK INSP
 BKT LINE 4PK IN BW C
 BKT STAIR 4PK IN BWC
 BKT9 LINE HW 4PK WH
 BKT7 LINE 4 PK BRONZE
 BKT10 LINE HW 4PK BK
 BKT9 STR HW 4PK WH
 BKT7 STAIR 4 PK BRNZ
 BKT10 STR HW 4PK BK
 BKT ANGLE 4 PK WHITE
 BKT ANGLE 4 PK BLACK
 BKT ANGLE 4 PK BRONZE
 BKT POST JM 4
 BKT POST MT CONCRETE
 BKT POST MOUNT WOOD
 BKT2 SLV MT W/WD KIT
 BKT CRUSH BLOCK
 BAL INS MTL LINE
 BAL INS MTL STAIR

Each Master Carton has 36 bags

BAL10 INS LN 30 PK
 BAL10 INS LN 42 PK
 BAL10 INS ST 24 PK

Horizon Railing Accessories

CAP HARBOUR 4 WHITE
 CAP HARBOUR 4 BRONZE
 CAP HARBOUR 4 BLACK
 CAP HARBOUR 4 BW C
 POST SLV MLDG 4
 POST SLV MLDG 4 BRNZ
 POST SLV MLDG 4 BLK
 POST SL MLDG 4 BW C
 HR RAIL 104 WH
 HR RAIL 104 BN
 HR RAIL 104 BL

ITEM NUMBER

4 Pack Line Brackets - Inspirations White
 4 Pack Stair Brackets - Inspirations White
 4 Pack Line Brackets - Inspirations Dark Walnut
 4 Pack Stair Brackets - Inspirations Dark Walnut
 4 Pack Line Brackets - White
 4 Pack Line Brackets - Bronze
 4 Pack Line Brackets - Black
 4 Pack Stair Brackets - White
 4 Pack Stair Brackets - Bronze
 4 Pack Stair Brackets - Black
 4 Pack Angle Brackets - White
 4 Pack Angle Brackets - Black
 4 Pack Angle Brackets - Bronze
 Joist Mount Bracket
 Horizon Post Mount - Concrete Applications
 Horizon Post Mount - Wood Applications
 Post Sleeve Surface Mount w/ Wood Insert
 Crush Block Bracket
 Round Metal Line Dagggers Only - (Balusters Sold Separately)
 Round Metal Stair Dagggers Only - (Balusters Sold Separately)

Square Composite 6 ft. Line Dagggers Only - (Balusters Sold Separately)
 Square Composite 8 ft. Line Dagggers Only - (Balusters Sold Separately)
 Square Composite 6 ft. Stair Dagggers Only - (Balusters Sold Separately)

Cap - Harbour - White
 Cap - Harbour - Bronze
 Cap - Harbour - Black
 Cap - Harbour - Dark Walnut
 Post Moulding - White
 Post Moulding - Bronze
 Post Moulding - Black
 Post Moulding - Dark Walnut
 ADA 104" Round Handrail Kit - White
 ADA 104" Round Handrail Kit - Brown
 ADA 104" Round Handrail Kit - Black

DESCRIPTION (Nominal Sizes)



Inspirations Line Hardware



Mission/Provincial Line Hardware



Harbour Post Cap



Post Moulding



ADA Straight Wall Return



ADA 90 Degree Corner



ADA End Loop



ADA Post Return

Horizon Railing Accessories

HR WALL RETURN WH
 HR WALL RETURN BN
 HR WALL RETURN BL
 HR STRGT WALL RTN WH
 HR STRGT WALL RTN BN
 HR STRGT WALL RTN BL
 HR HAND RAIL BKT WH
 HR HAND RAIL BKT BN
 HR HAND RAIL BKT BL
 HR 90 DEGREE CRNR WH
 HR 90 DEGREE CRNR BN
 HR 90 DEGREE CRNR BL
 HR END LOOP WH
 HR END LOOP BN
 HR END LOOP BL
 HR POST RETURN WH
 HR POST RETURN BN
 HR POST RETURN BL
 HR JOINT RING WH
 HR JOINT RING BN
 HR JOINT RING BL
 HR RAIL END CAP WH
 HR RAIL END CAP BN
 HR RAIL END CAP BL
 HR BKT RTN CV PLT WH
 HR BKT RTN CV PLT BN
 HR BKT RTN CV PLT BL
 HR 90DEG INSD BKT WH
 HR 90DEG INSD BKT BN
 HR 90DEG INSD BKT BL
 HR ADJUSTABLE JOINER
 HR STRAIGHT JOINER

ADA Wall Return Kit - White
 ADA Wall Return Kit - Brown
 ADA Wall Return Kit - Black
 ADA Straight Wall Return Kit - White
 ADA Straight Wall Return Kit - Brown
 ADA Straight Wall Return Kit - Black
 ADA Handrail Bracket Kit - White
 ADA Handrail Bracket Kit - Brown
 ADA Handrail Bracket Kit - Black
 ADA 90 Degree Corner - White
 ADA 90 Degree Corner - Brown
 ADA 90 Degree Corner - Black
 ADA End Loop - White
 ADA End Loop - Brown
 ADA End Loop - Black
 ADA Post Return - White
 ADA Post Return - Brown
 ADA Post Return - Black
 ADA Joint Ring 4PK - White
 ADA Joint Ring 4PK - Brown
 ADA Joint Ring 4PK - Black
 ADA Rail End Cap 4PK - White
 ADA Rail End Cap 4PK - Brown
 ADA Rail End Cap 4PK - Black
 ADA Bracket Wall Return Cover Plate 4PK - White
 ADA Bracket Wall Return Cover Plate 4PK - Brown
 ADA Bracket Wall Return Cover Plate 4PK - Black
 ADA 90 Degree Insert Corner Bracket Kit - White
 ADA 90 Degree Insert Corner Bracket Kit - Brown
 ADA 90 Degree Insert Corner Bracket Kit - Black
 ADA Adjustable Joiner 4PK
 ADA Straight Joiner 4PK

Fiberon® Outdoor Flooring PVC Decking

Lifetime Residential Limited Warranty 25-Year Residential Stain and Fade Limited Warranty

Fiberon warrants that Fiberon Outdoor Flooring PVC Decking from the date of the original purchase from an authorized Fiberon product dealer shall remain free from material manufacturing defects, and under normal and proper service conditions will not check, splinter, delaminate, rot or suffer structural damage from fungal decay when used in conjunction with an above ground residential application, under normal use and is installed and maintained according to manufacturer's guidelines.

The Lifetime Residential Limited Warranty shall be in effect from original purchase date for a residential purchaser as long as they own the property upon which the material was installed.

25-Year Residential Stain and Fade Performance Limited Warranty Coverage

Fiberon warrants the stain and fade resistance of Fiberon Outdoor Flooring PVC Decking when properly installed and used as decking in residential applications. This warranty applies to all Fiberon Outdoor Flooring PVC Decking products manufactured by Fiberon and is extended to the original homeowner (Purchaser), as long as they own the residence upon which the decking materials are installed.

Stain Resistance: Fiberon warrants that Fiberon Outdoor Flooring PVC Decking is resistant to permanent staining for a period of twenty five years from date of residential consumer purchase resulting from spills of food and beverage items that would typically be present on a residential deck. Spills should be removed from the decking material with soap and water and mild household cleaners immediately and no later than one week of exposure to the surface. If after this initial cleaning the stains remain, refer to Fiberon's Care and Maintenance Instructions found on www.fiberondecking.com. Materials not covered in the stain resistant warranty include, but are not limited to, abrasive compounds of acidic or basic pH, strong solvents, oil based paints or stains, metallic rust, concrete or masonry products, air or water borne minerals and other abnormal residential deck use items. See limitations below for further details.

Fade Resistance: Fiberon warrants that Fiberon Outdoor Flooring PVC Decking will resist color change from light and weathering exposure as measured by color change in excess of 5 Delta E (Hunter) units for a period of twenty five years from the date of purchase.

Exclusions from Stain and Fade Warranty Coverage: Fiberon does not warrant its Fiberon Outdoor Flooring PVC Decking products to be stain or fade proof. The surface of Fiberon Outdoor Flooring PVC Decking is engineered to offer ultra-low maintenance performance. When used with proper design and construction practices and for use in the residential exterior deck environment, Fiberon Horizon products provide a high level of stain and fade resistance.

Stain Resistance: Care must be taken to remove spilled materials with soap and water and standard household cleaners immediately and within a week after the occurrence of the spill. If after this initial cleaning the stains remain, refer to Fiberon's Care and Maintenance Instructions found on www.fiberondecking.com. Fiberon does not warrant stain resistance resulting from spilled or otherwise applied substances that are not properly cleaned with soap and water or mild household cleaners. Materials not covered in the stain resistant warranty include, but are not limited to, abrasive compounds of acidic or basic pH, strong solvents, oil based paints or stains, metallic rust or other abnormal residential deck use items, non-food and non-beverage substances, including for example, but not limited to, fungicides, bactericides, biocides, plant food, pet or human stains such as vomit, blood, urine and feces and mineral staining or hazing caused by masonry work, windblown dust or mineral laden water.

Fade Resistance: Fiberon Outdoor Flooring PVC Decking surface technology is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. Other exclusions include direct or indirect contact with extreme heat sources (over 250 degrees).

Surface Damage: Never use METAL shovels or sharp edge tools to remove snow and ice on the surface of any Fiberon composite or PVC decking product. If the surface of Fiberon Outdoor Flooring PVC Decking is damaged or punctured after the decking is installed, the twenty five year stain and fade resistance will be voided.

Paint or Other Surfaces Applied to Fiberon Outdoor Flooring PVC Decking: If paint or other coating materials are applied to the Fiberon Outdoor Flooring PVC Decking surface, the twenty five year stain and fade resistant will be voided.

Fiberon PVC Outdoor Flooring decking contains no cellulose fillers that can support the growth of mold or mildew; however, mold and mildew can develop on surface contaminants. Rinsing away any surface contamination as it occurs will prevent the formation of mold or mildew.

For the warranty period stated, compliance with the recommended deck care and maintenance procedures must be followed. To qualify for coverage, you must have tried cleaning the affected area of your deck using the instructions indicated within this document and within the Care and Maintenance Instructions provided online at www.fiberondecking.com. If the affected area still remains unsatisfactory after you have tried these cleaning procedures, then you must have the affected area of your deck professionally cleaned at your expense. If the affected area remains unsatisfactory after the professional cleaning, you must contact Fiberon Consumer Support (800-573-8841) and provide proof of the professional cleaning within 30 days of the professional cleaning.

Remedy

Purchaser's sole remedy for any claim whatsoever arising out of the purchase, use, storage or possession of Fiberon products (whether such claim arises is contract, warranty, tort, strict liability or otherwise), including without limitation any claim that Fiberon products failed to perform as warranted above, shall be replaced with new Fiberon product in an amount equal to the volume of defective material as listed on the Prorated Warranty Schedule. Replacement material will be provided that is as close as possible in color, design and quality to the original installation, but we do not guarantee an exact match as

colors and designs will change. Additionally, claimant agrees to the use of surface fasteners as adequate for reinstallation of the furnished board, irrespective of existing method. Warrantor may elect to refund the percentage of the original purchase price listed on the Prorated Warranty Schedule in lieu of replacing the product or if Fiberon deems the repair is not commercially practicable or cannot be made in a timely manner.

This Warranty does not cover costs of installation, removal or reinstallation. The Warrantor's sole obligation is limited to replacement of the Product, and Warrantor shall have no further liability of obligation except as expressly stated herein. In no event will Fiberon be liable for any incidental, special, indirect or consequential damages resulting from any defect in the Product supplied, including but not limited to, damage to property. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you.

Any owner seeking remedy under this warranty must notify Fiberon in writing within 30 days after discovering a possible nonconformity of the Product, and before beginning any permanent repair. This written notice should describe the possible nonconformity and include the date the Product was installed. Immediately upon discovering any possible nonconforming Product, the owner must make temporary repairs at the owner's expense to protect all property that could be affected. The owner must allow Fiberon to enter the property into which the Product is installed to inspect the possibility of nonconforming Product. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

Limitations and Disclaimers

Warrantor shall not be liable for installation, removal or reinstallation costs or for any indirect, punitive, exemplary or consequential damages of any kind. Fiberon does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Fiberon products and/ or failure to abide by Fiberon's installation guidelines, including but not limited to improper gapping; (2) use of Fiberon products beyond normal use or in an application not recommended by Fiberon's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Fiberon products are installed; (4) Defects to or failure arising from decking structure resulting from water caused by improper installation, workmanship, maintenance or repair; (5) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (6) discoloration caused by aggressive atmospheric pollutants including but not limited to metallic oxides or particles and airborne mold or mildew; (7) staining from foreign substances such as dirt, grease, oil, harsh chemicals found in cleaners or normal weathering (defined as natural efflorescence, exposure to sunlight, weather and atmospheric conditions which will cause any colored surface to gradually fade, flake, chalk, or accumulate dirt or stains); (8) damage resulting from fire or exposure to excessive heat sources such as cooking devices or retro-reflective surfaces; (9) the application of improper paints, stains, surface treatments or other chemical substances including but not limited to non-recommended cleaners or pesticides; (10) climate change or any other cause beyond the control of Fiberon; (11) variations or changes in color of Fiberon products; (12) improper handling, storage, abuse or neglect of Fiberon products by Purchaser or third parties; (13) ordinary wear and tear; (14) impact from foreign objects; or (15) any fasteners not supplied or approved by Fiberon.

The purchaser is solely responsible for determining whether Fiberon product meets the requirements of any applicable safety code or similar regulation.

No Fiberon dealer, installer, reseller, agent or employee is authorized to make any modification, extension or addition to this Warranty. No person or entity is authorized by Warrantor to make any statement or representation, as to the quality or performance of Fiberon product, other than as contained in this Limited Warranty and it may not be altered except in a written instrument signed by Warrantor and buyer. Some states do not allow limitation on how long any implied warranty lasts and/or the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights that vary from state to state.

Lumenite technology is patent pending.

Warranty Claim Procedure

To obtain replacement, the original owner must send a copy of this warranty certificate, copy of original proof of purchase and photos of the issue to the address below. Such proof of purchase must be from an authorized Fiberon product dealer and must show (1) the date of the purchase and (2) that sufficient Fiberon product has been purchased to cover the number of lineal feet claimed to be damaged. Fiberon must make a determination on the claim before any permanent repairs or removal of materials may be undertaken.

For further information, contact:
Fiberon, Consumer and Technical Support Department
198 Random Dr., New London, NC 28127
phone 800-573-8841 | fax 704-463-7330 | email info@fiberondecking.com | www.fiberondecking.com

FIB-0056-LIT REV E 11/12

25 Year Residential Stain and Fade Limited Warranty	
Recovery	Year of Claim
100%	0 - 10
80%	11 - 13
60%	14 - 16
40%	17 - 19
20%	20 - 22
10%	23 - 25

Fiberon® Horizon® Decking

25-Year Residential Limited Warranty, 10-Year Commercial Limited Warranty and 25-Year Residential Stain and Fade Limited Warranty

Fiberon warrants that Fiberon Horizon Decking from the date of the original purchase from an authorized Fiberon product dealer shall remain free from material manufacturing defects, and under normal and proper service conditions will not check, splinter, delaminate, rot or suffer structural damage from fungal decay when used in conjunction with an above ground application, under normal use and is installed and maintained according to manufacturer's guidelines.

Fiberon Phantom Fasteners are warranted from the date of proof of purchase against defects in material and workmanship when installed according to manufacturer's installation instructions. This warranty excludes rust. For best results, use only Fiberon branded or approved surface and/or hidden fasteners listed on our website, www.fiberondecking.com. Fiberon branded hidden fasteners are specifically designed to provide optimum performance when used with Fiberon deck boards. The use of other types of fasteners may void the Fiberon warranty if it is determined that deck board failures resulted from the use of a non-approved fastener.

The term of warranty shall be twenty five (25) years from original purchase date for a residential purchaser and ten (10) years from original purchase date for a commercial purchaser. The Commercial Limited Warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by Purchaser to a subsequent buyer of the property upon which the Fiberon Horizon Decking Products were originally installed.

25-Year Residential Stain and Fade Performance Limited Warranty Coverage

Fiberon warrants the stain and fade resistance of Fiberon Horizon Decking when properly installed and used as decking in residential applications. This warranty applies to all Fiberon Horizon Decking products manufactured by Fiberon and is extended to the original homeowner (Purchaser), as long as they own the residence upon which the decking materials are installed.

Stain Resistance: Fiberon warrants that Fiberon Horizon Decking is resistant to permanent staining for a period of twenty five years from date of residential consumer purchase resulting from spills of food and beverage items that would typically be present on a residential deck. Spills should be removed from the decking material with soap and water and mild household cleaners immediately and no later than one week of exposure to the surface. If after this initial cleaning the stains remain, refer to Fiberon's Care and Maintenance Instructions found on www.fiberondecking.com. Materials not covered in the stain resistant warranty include, but are not limited to, abrasive compounds of acidic or basic pH, strong solvents, oil based paints or stains, metallic rust, concrete or masonry products, air or water borne minerals and other abnormal residential deck use items. See limitations below for further details.

Fade Resistance: Fiberon warrants that Fiberon Horizon Decking will resist color change from light and weathering exposure as measured by color change in excess of 5 Delta E (Hunter) units for a period of twenty five years from the date of purchase.

Exclusions from Stain and Fade Warranty Coverage: Fiberon does not warrant its Fiberon Horizon Decking products to be stain or fade proof. The surface of Fiberon Horizon Decking is engineered to offer ultra-low maintenance performance. When used with proper design and construction practices and for use in the residential exterior deck environment, Fiberon Horizon products provide a high level of stain and fade resistance.

Stain Resistance: Care must be taken to remove spilled materials with soap and water and standard household cleaners immediately and within a week after the occurrence of the spill. If after this initial cleaning the stains remain, refer to Fiberon's Care and Maintenance Instructions found on www.fiberondecking.com. Fiberon does not warrant stain resistance resulting from spilled or otherwise applied substances that are not properly cleaned with soap and water or mild household cleaners. Materials not covered in the stain resistant warranty include, but are not limited to, abrasive compounds of acidic or basic pH, strong solvents, oil based paints or stains, metallic rust or other abnormal residential deck use items, non-food and non-beverage substances, including for example, but not limited to, fungicides, bactericides, biocides, plant food, pet or human stains such as vomit, blood, urine and feces and mineral staining or hazing caused by masonry work, windblown dust or mineral laden water.

Fade Resistance: Fiberon Horizon Decking surface technology is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. Other exclusions include direct or indirect contact with extreme heat sources (over 250 degrees).

Surface Damage: Never use METAL shovels or sharp edge tools to remove snow and ice on the surface of any Fiberon composite or PVC decking product. If the surface of Fiberon Horizon Decking is damaged or punctured after the decking is installed, the twenty five year stain and fade resistance will be voided.

Paint or Other Surfaces Applied to Fiberon Horizon Decking: If paint or other coating materials are applied to the Fiberon Horizon Decking surface, the twenty five year stain and fade resistant will be voided.

For the warranty period stated, compliance with the recommended deck care and maintenance procedures must be followed. To qualify for coverage, you must have tried cleaning the affected area of your deck using the instructions indicated within this document and within the Care and Maintenance Instructions provided online at www.fiberondecking.com. If the affected area still remains unsatisfactory after you have tried these cleaning procedures, then you must have the affected area of your deck professionally cleaned at your expense. If the affected area remains unsatisfactory after the professional cleaning, you must contact Fiberon Consumer Support (800-573-8841) and provide proof of the professional cleaning within 30 days of the professional cleaning.

Remedy

Purchaser's sole remedy for any claim whatsoever arising out of the purchase, use, storage or possession of Fiberon products (whether such claim arises is contract, warranty, tort, strict liability or otherwise), including without limitation any claim that Fiberon products failed to perform as warranted above, shall be replaced with new Fiberon product in an amount equal to the volume of defective material as listed on the Prorated Warranty Schedule. Replacement material will be provided that is as close as possible in color, design and quality to the original installation, but we do not guarantee an exact match as colors and designs will change. Additionally, claimant agrees to the use of surface fasteners as adequate for reinstallation of the furnished board, irrespective of existing method. Warrantor may elect to refund the percentage of the original purchase price listed on the Prorated Warranty Schedule in lieu of replacing the product or if Fiberon deems the repair is not commercially practicable or cannot be made in a timely manner.

This Warranty does not cover costs of installation, removal or reinstallation. The Warrantor's sole obligation is limited to replacement of the Product, and Warrantor shall have no further liability of obligation except as expressly stated herein. In no event will Fiberon be liable for any incidental, special, indirect or consequential damages resulting from any defect in the Product supplied, including but not limited to, damage to property. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you.

Any owner seeking remedy under this warranty must notify Fiberon in writing within 30 days after discovering a possible nonconformity of the Product, and before beginning any permanent repair. This written notice should describe the possible nonconformity and include the date the Product was installed. Immediately upon discovering any possible nonconforming Product, the owner must make temporary repairs at the owner's expense to protect all property that could be affected. The owner must allow Fiberon to enter the property into which the Product is installed to inspect the possibility of nonconforming Product. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

Limitations and Disclaimers

Warrantor shall not be liable for installation, removal or reinstallation costs or for any indirect, punitive, exemplary or consequential damages of any kind. Fiberon does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Fiberon products and/ or failure to abide by Fiberon's installation guidelines, including but not limited to improper gapping; (2) use of Fiberon products beyond normal use or in an application not recommended by Fiberon's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Fiberon products are installed; (4) Defects to or failure arising from decking structure resulting from water caused by improper installation, workmanship, maintenance or repair; (5) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (6) discoloration caused by aggressive atmospheric pollutants including but not limited to metallic oxides or particles and airborne mold or mildew; (7) staining from foreign substances such as dirt, grease, oil, harsh chemicals found in cleaners or normal weathering (defined as natural efflorescence, exposure to sunlight, weather and atmospheric conditions which will cause any colored surface to gradually fade, flake, chalk, or accumulate dirt or stains); (8) damage resulting from fire or exposure to excessive heat sources such as cooking devices or retro-reflective surfaces; (9) the application of improper paints, stains, surface treatments or other chemical substances including but not limited to non-recommended cleaners or pesticides; (10) climate change or any other cause beyond the control of Fiberon; (11) variations or changes in color of Fiberon products; (12) improper handling, storage, abuse or neglect of Fiberon products by Purchaser or third parties; (13) ordinary wear and tear; (14) impact from foreign objects; or (15) any fasteners not supplied or approved by Fiberon.

The purchaser is solely responsible for determining whether Fiberon product meets the requirements of any applicable safety code or similar regulation.

No Fiberon dealer, installer, reseller, agent or employee is authorized to make any modification, extension or addition to this Warranty. No person or entity is authorized by Warrantor to make any statement or representation, as to the quality or performance of Fiberon product, other than as contained in this Limited Warranty and it may not be altered except in a written instrument signed by Warrantor and buyer. Some states do not allow limitation on how long any implied warranty lasts and/or the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights that vary from state to state.

Warranty Claim Procedure

To obtain replacement, the original owner must send a copy of this warranty certificate, copy of original proof of purchase and photos of the issue to the address below. Such proof of purchase must be from an authorized Fiberon product dealer and must show (1) the date of the purchase and (2) that sufficient Fiberon product has been purchased to cover the number of lineal feet claimed to be damaged. Fiberon must make a determination on the claim before any permanent repairs or removal of materials may be undertaken.

For further information, contact:
 Fiberon, Consumer and Technical Support Department
 198 Random Dr., New London, NC 28127
 phone 800-573-8841 | fax 704-463-7330 | email info@fiberondecking.com | www.fiberondecking.com

FIB-0111-LIT REV E 10/12

25 Year Residential Limited Warranty

Recovery	Year of Claim
100%	0 - 10
80%	11 - 13
60%	14 - 16
40%	17 - 19
20%	20 - 22
10%	23 - 25

10 Year Commercial Limited Warranty

Recovery	Year of Claim
100%	0 - 5 years
80%	6 years
60%	7 years
40%	8 years
20%	9 years
10%	10 years

Fiberon® Pro-Tect® Decking

20-Year Residential Limited Warranty, 10-Year Commercial Limited Warranty and 20-Year Residential Stain and Fade Limited Warranty

Fiberon warrants Fiberon Pro-Tect Decking from the date of the original purchase from an authorized Fiberon product dealer shall remain free from material manufacturing defects, and under normal and proper service conditions will not check, splinter, delaminate, rot or suffer structural damage from fungal decay when used in conjunction with an above ground application, under normal use and is installed and maintained according to manufacturer's guidelines.

Fiberon Phantom Fasteners are warranted from the date of proof of purchase against defects in material and workmanship when installed according to manufacturer's installation instructions. This warranty excludes rust. For best results, use only Fiberon branded or approved surface and/or hidden fasteners listed on our website, www.fiberondecking.com. Fiberon branded hidden fasteners are specifically designed to provide optimum performance when used with Fiberon deck boards. The use of other types of fasteners may void the Fiberon warranty if it is determined that deck board failures resulted from the use of a non-approved fastener.

The term of warranty shall be twenty (20) years from original purchase date for a residential purchaser and ten (10) years from original purchase date for a commercial purchaser. The Commercial Limited Warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by Purchaser to a subsequent buyer of the property upon which the Fiberon Pro-Tect Decking Products were originally installed.

20-Year Residential Stain and Fade Performance Limited Warranty Coverage

Fiberon warrants the stain and fade resistance of Fiberon Pro-Tect Decking when properly installed and used as decking in residential applications. This warranty applies to all Fiberon Pro-Tect Decking products manufactured by Fiberon and is extended to the original homeowner (Purchaser), as long as they own the residence upon which the decking materials are installed.

Stain Resistance: Fiberon warrants that Fiberon Pro-Tect Decking is resistant to permanent staining for a period of twenty years from date of residential consumer purchase resulting from spills of food and beverage items that would typically be present on a residential deck. Spills should be removed from the decking material with soap and water and mild household cleaners immediately and no later than one week of exposure to the surface. If after this initial cleaning the stains remain, refer to Fiberon's Care and Maintenance Instructions found on www.fiberondecking.com. Materials not covered in the stain resistant warranty include, but are not limited to, abrasive compounds of acidic or basic pH, strong solvents, oil based paints or stains, metallic rust, concrete or masonry products, air or water borne minerals and other abnormal residential deck use items. See limitations below for further details.

Fade Resistance: Fiberon warrants that Fiberon Pro-Tect Decking will resist color change from light and weathering exposure as measured by color change in excess of 5 Delta E (Hunter) units for a period of twenty years from the date of purchase.

Exclusions from Stain and Fade Warranty Coverage: Fiberon does not warrant its Fiberon Pro-Tect Decking products to be stain or fade proof. The surface of Fiberon Pro-Tect Decking is engineered to offer ultra-low maintenance performance. When used with proper design and construction practices and for use in the residential exterior deck environment, Fiberon Pro-Tect products provide a high level of stain and fade resistance.

Stain Resistance: Care must be taken to remove spilled materials with soap and water and standard household cleaners immediately and within a week after the occurrence of the spill. If after this initial cleaning the stains remain, refer to Fiberon's Care and Maintenance Instructions found on www.fiberondecking.com. Fiberon does not warrant stain resistance resulting from spilled or otherwise applied substances that are not properly cleaned with soap and water or mild household cleaners. Materials not covered in the stain resistant warranty include, but are not limited to, abrasive compounds of acidic or basic pH, strong solvents, oil based paints or stains, metallic rust or other abnormal residential deck use items, non-food and non-beverage substances, including for example, but not limited to, fungicides, bactericides, biocides, plant food, pet or human stains such as vomit, blood, urine and feces and mineral staining or hazing cause by masonry work, windblown dust or mineral laden water.

Fade Resistance: Fiberon Pro-Tect Decking surface technology is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. Other exclusions include direct or indirect contact with extreme heat sources (over 250 degrees).

Surface Damage: Never use METAL shovels or sharp edge tools to remove snow and ice on the surface of any Fiberon composite or PVC decking product. If the surface of Fiberon Pro-Tect Decking is damaged or punctured after the decking is installed, the twenty year stain and fade resistance will be voided.

Paint or Other Surfaces Applied to Fiberon Pro-Tect Decking: If paint or other coating materials are applied to the Fiberon Pro-Tect Decking surface, the twenty year stain and fade resistant will be voided.

For the warranty period stated, compliance with the recommended deck care and maintenance procedures must be followed. To qualify for coverage, you must have tried cleaning the affected area of your deck using the instructions indicated within this document and within the Care and Maintenance Instructions provided online at www.fiberondecking.com. If the affected area still remains unsatisfactory after you have tried these cleaning procedures, then you must have the affected area of your deck professionally cleaned at your expense. If the affected area remains unsatisfactory after the professional cleaning, you must contact Fiberon Consumer Support (800-573-8841) and provide proof of the professional cleaning within 30 days of the professional cleaning.

Remedy

Purchaser's sole remedy for any claim whatsoever arising out of the purchase, use, storage or possession of Fiberon products (whether such claim arises is contract, warranty, tort, strict liability or otherwise), including without limitation any claim that Fiberon products failed to perform as warranted above, shall be replaced with new Fiberon product in an amount equal to the volume of defective material as listed on the Prorated Warranty Schedule. Replacement material will be provided that is as close as possible in color, design and quality to the original installation, but we do not guarantee an exact match as colors and designs will change. Additionally, claimant agrees to the use of surface fasteners as adequate for reinstallation of the furnished board, irrespective of existing method. Warrantor may elect to refund the percentage of the original purchase price listed on the Prorated Warranty Schedule in lieu of replacing the product or if Fiberon deems the repair is not commercially practicable or cannot be made in a timely manner.

This Warranty does not cover costs of installation, removal or reinstallation. The Warrantor's sole obligation is limited to replacement of the Product, and Warrantor shall have no further liability of obligation except as expressly stated herein. In no event will Fiberon be liable for any incidental, special, indirect or consequential damages resulting from any defect in the Product supplied, including but not limited to, damage to property. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you.

Any owner seeking remedy under this warranty must notify Fiberon in writing within 30 days after discovering a possible nonconformity of the Product, and before beginning any permanent repair. This written notice should describe the possible nonconformity and include the date the Product was installed. Immediately upon discovering any possible nonconforming Product, the owner must make temporary repairs at the owner's expense to protect all property that could be affected. The owner must allow Fiberon to enter the property into which the Product is installed to inspect the possibility of nonconforming Product. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

Limitations and Disclaimers

Warrantor shall not be liable for installation, removal or reinstallation costs or for any indirect, punitive, exemplary or consequential damages of any kind. Fiberon does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Fiberon products and/ or failure to abide by Fiberon's installation guidelines, including but not limited to improper gapping; (2) use of Fiberon products beyond normal use or in an application not recommended by Fiberon's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Fiberon products are installed; (4) Defects to or failure arising from decking structure resulting from water caused by improper installation, workmanship, maintenance or repair; (5) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (6) discoloration caused by aggressive atmospheric pollutants including but not limited to metallic oxides or particles and airborne mold or mildew; (7) staining from foreign substances such as dirt, grease, oil, harsh chemicals found in cleaners or normal weathering (defined as natural efflorescence, exposure to sunlight, weather and atmospheric conditions which will cause any colored surface to gradually fade, flake, chalk, or accumulate dirt or stains); (8) damage resulting from fire or exposure to excessive heat sources such as cooking devices or retro-reflective surfaces; (9) the application of improper paints, stains, surface treatments or other chemical substances including but not limited to non-recommended cleaners or pesticides; (10) climate change or any other cause beyond the control of Fiberon; (11) variations or changes in color of Fiberon products; (12) improper handling, storage, abuse or neglect of Fiberon products by Purchaser or third parties; (13) ordinary wear and tear; (14) impact from foreign objects; or (15) any fasteners not supplied or approved by Fiberon.

The purchaser is solely responsible for determining whether Fiberon product meets the requirements of any applicable safety code or similar regulation.

No Fiberon dealer, installer, reseller, agent or employee is authorized to make any modification, extension or addition to this Warranty. No person or entity is authorized by Warrantor to make any statement or representation, as to the quality or performance of Fiberon product, other than as contained in this Limited Warranty and it may not be altered except in a written instrument signed by Warrantor and buyer. Some states do not allow limitation on how long any implied warranty lasts and/or the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights that vary from state to state.

Warranty Claim Procedure

To obtain replacement, the original owner must send a copy of this warranty certificate, copy of original proof of purchase and photos of the issue to the address below. Such proof of purchase must be from an authorized Fiberon product dealer and must show (1) the date of the purchase and (2) that sufficient Fiberon product has been purchased to cover the number of lineal feet claimed to be damaged. Fiberon must make a determination on the claim before any permanent repairs or removal of materials may be undertaken.

For further information, contact:
 Fiberon, Consumer and Technical Support Department
 198 Random Dr., New London, NC 28127
 phone 800-573-8841 | fax 704-463-7330 | email info@fiberondecking.com | www.fiberondecking.com

FIB-0110-LIT REV E 10/12

20 Year Residential Limited Warranty

Recovery	Year of Claim
100%	0 - 10
80%	11 - 12
60%	13 - 14
40%	15 - 16
20%	17 - 18
10%	19 - 20

10 Year Commercial Limited Warranty

Recovery	Year of Claim
100%	0 - 5 years
80%	6 years
60%	7 years
40%	8 years
20%	9 years
10%	10 years

Fiberon Classic™ Decking, Professional Decking, Tropics® Decking (Europe) Horizon® Railing and Fiberail® Railing 20-Year Residential Limited Warranty and 5-Year Commercial Limited Warranty

Fiberon warrants the following products from the date of the original purchase from an authorized Fiberon product dealer shall remain free from material manufacturing defects, and under normal and proper service conditions will not check, splinter, delaminate, rot or suffer structural damage from fungal decay when used in conjunction with an above ground application, under normal use and is installed and maintained according to manufacturer's guidelines.

- Decking:** Fiberon Classic Decking, Fiberon Professional Decking, Fiberon Tropics Decking (Europe)
- Railing:** Fiberon Horizon® Railing, Fiberon Fiberail Railing
- Fasteners:** Fiberon branded Hidden Fasteners as listed on www.fiberondecking.com

Fiberon Phantom Fasteners are warranted from the date of proof of purchase against defects in material and workmanship when installed according to manufacturer's installation instructions. This warranty excludes rust. For best results, use only Fiberon branded or those approved hidden fasteners listed on our web site, www.fiberondecking.com. Fiberon branded hidden fasteners are specifically designed to provide optimum performance when used with Fiberon deck boards. The use of other types of fasteners may void the Fiberon warranty if it is determined that deck board failures resulted from the use of non-approved fasteners.

The term of warranty shall be twenty (20) years from original purchase date for a residential purchaser and five (5) years from original purchase date for a commercial purchaser.

Remedy

Purchaser's sole remedy for any claim whatsoever arising out of the purchase, use, storage or possession of Fiberon products (whether such claim arises is contract, warranty, tort, strict liability or otherwise), including without limitation any claim that Fiberon products failed to perform as warranted above, shall be replaced with new Fiberon product in an amount equal to the volume of defective material as listed on the Prorated Warranty Schedule. Replacement material will be provided that is as close as possible in color, design and quality to the original installation, but we do not guarantee an exact match as colors and designs will change. Additionally, claimant agrees to the use of surface fasteners as adequate for reinstallation of the furnished board, irrespective of existing method. Warrantor may elect to refund the percentage of the original purchase price listed on the Prorated Warranty Schedule in lieu of replacing the product or if Fiberon deems the repair is not commercially practicable or cannot be made in a timely manner.

This Warranty does not cover costs of installation, removal or reinstallation. The Warrantor's sole obligation is limited to replacement of the Product, and Warrantor shall have no further liability of obligation except as expressly stated herein. In no event will Fiberon be liable for any incidental, special, indirect or consequential damages resulting from any defect in the Product supplied, including but not limited to, damage to property. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you.

Any owner seeking remedy under this warranty must notify Fiberon in writing within 30 days after discovering a possible nonconformity of the Product, and before beginning any permanent repair. This written notice should describe the possible nonconformity and include the date the Product was installed. Immediately upon discovering any possible nonconforming Product, the owner must make temporary repairs at the owner's expense to protect all property that could be affected. The owner must allow Fiberon to enter the property into which the Product is installed to inspect the possibility of nonconforming Product. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

Limitations and Disclaimers

Warrantor shall not be liable for installation, removal or reinstallation costs or for any indirect, punitive, exemplary or consequential damages of any kind. Fiberon does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Fiberon products and/ or failure to abide by Fiberon's installation guidelines, including but not limited to improper gapping; (2) use of Fiberon products beyond normal use or in an application not recommended by Fiberon's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Fiberon products are installed; (4) Defects to or failure arising from decking structure resulting from water caused by improper installation, workmanship, maintenance or repair; (5) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (6) discoloration caused by aggressive atmospheric pollutants including but not limited to metallic oxides or particles and airborne mold or mildew; (7) staining from foreign substances such as dirt, grease, oil, harsh chemicals found in cleaners or normal weathering (defined as natural efflorescence, exposure to sunlight, weather and atmospheric conditions which will cause any colored surface to gradually fade, flake, chalk, or accumulate dirt or stains); (8) damage resulting from fire or exposure to excessive heat sources such as cooking devices or retro-reflective surfaces; (9) the application of improper paints, stains, surface treatments or other chemical substances including but not limited to non-recommended cleaners or pesticides; (10) climate change or any other cause beyond the control of Fiberon; (11) variations or changes in color of Fiberon products; (12) improper handling, storage, abuse or neglect of Fiberon products by Purchaser or third parties; (13) ordinary wear and tear; (14) impact from foreign objects; or (15) any fasteners not supplied or approved by Fiberon.

The purchaser is solely responsible for determining whether Fiberon product meets the requirements of any applicable safety code or similar regulation.

No Fiberon dealer, installer, reseller, agent or employee is authorized to make any modification, extension or addition to this Warranty. No person or entity is authorized by Warrantor to make any statement or representation, as to the quality or performance of Fiberon product, other than as contained in this Limited Warranty and it may not be altered except in a written instrument signed by Warrantor and buyer. Some states do not allow limitation on how long any implied warranty lasts and/or the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights and you may also have other rights that vary from state to state.

Warranty Claim Procedure

To obtain replacement, the original owner must send a copy of this warranty certificate, copy of original proof of purchase and photos of the issue to the address below. Such proof of purchase must be from an authorized Fiberon product dealer and must show (1) the date of the purchase and (2) that sufficient Fiberon product has been purchased to cover the number of lineal feet claimed to be damaged. Fiberon must make a determination on the claim before any permanent repairs or removal of materials may be undertaken.

For further information, contact:
Fiberon, Consumer and Technical Support Department,
198 Random Dr. New London, NC 28127
Phone 800-573-8841 | Fax 704-463-7330 | email info@fiberondecking.com | www.fiberondecking.com

FIB-0054-LIT Rev I 11/12

20 Year Residential Limited Warranty		5 Year Commercial Limited Warranty	
Recovery	Year of Claim	Recovery	Year of Claim
100%	0 - 10	100%	0 - 1 years
80%	11 - 12	80%	2 years
60%	13 - 14	60%	3 years
40%	15 - 16	40%	4 years
20%	17 - 18	20%	5 years
10%	19 - 20		

For the most up-to-date information and specifications, visit www.fiberondecking.com.

Fiberon® - Care and Maintenance Professional and Classic Composite Decking

Important Considerations

- Ensure minimum six inches of ventilation under deck substructure and required spacing between decking boards.
- Improve drainage or grade soil to eliminate standing water under decks.
- Direct downspouts, downspout extensions and splash guards away from decks.
- Position dryer vents away from decks.
- Maintain a deck that is dry and clean.
- Clean your deck as often as needed, at least twice each year.
- Use extreme caution with pressure washers and use at pressures less than 1,500 psi at 12" above deck surface. Pressure washing is not recommended when mold/mildew are present on the deck.
- Keep debris out of gaps between the decking boards so rain showers can remove pollen and organic debris between cleanings.
- Minimize the use of wet mulch up against the deck structure.
- Items stored directly on top of the deck surface, such as flower pots, prohibit water evaporation and can cause some staining of the deck surface.
- Use of wrought iron railing or other carbon steel materials in contact with or above an uncapped composite deck surface may cause dark extractive staining.

Ventilation

Make sure there is adequate and unobstructed air flow under the deck to prevent excessive water absorption. Improve drainage or grade flat areas where standing water may gather. For decks with limited ventilation, 6" of clear ventilation is required.

Mind the Gap

If the gap between decking boards is less than 3/16", organic debris such as leaves, seeds or pollen can settle on the deck and clog gaps. Water can pool, steeping organic debris that forms a "tea" or of tannin which may stain your deck. This organic debris is a strong food source for mold. Keeping the gap clean is the easiest way to keep the deck clean. If gapping becomes clogged, use a garden hose, a spatula, putty knife or similar tool to remove debris.

Clean Your Deck

Clean your deck as often as needed, at least twice each year to remove

pollen, organic debris, dirt or stains. Generally, a broom or a blower will work better than a hose for removing scattered organic materials like leaves. For general cleaning, use soap and water or mild household cleaners.

Dirt and Grime

Dislodge accumulated dirt with a broom or by using soap and water and a non-metal scrub brush. Scrubbing in the direction of the grain is best. Thoroughly rinse off with a garden hose. Skilled professionals may use a pressure washer with wide fan tips, at low pressures under 1,500 psi and at safe distances, 12" above deck. In the wrong hands, your composite deck can be damaged. Exercise extreme caution.

Oil and Grease Stains

Speedy clean up is best. To clean grease and oil stains that soap and water cannot remove, some all purpose cleaners, such as Fantastik, will cut through grease and grime. Or use a commercial deck cleaner designed specifically for your type of decking. De-Solv-It Citrus Solution is effective in removing tar, asphalt, oil, grease and chewing gum. Be sure to follow the manufacturer's recommendations and test in an inconspicuous area prior to cleaning the entire deck.

Mold and Mildew

Mold and mildew are common environmental conditions. Molds grow on decaying organic material such as wood, leaf decay and pollen. Tiny and lightweight, mold spores travel easily through the air. Different climates experience varying degrees of these conditions depending on the amount of moisture and heat present.

To thrive, mold and mildew need air, water, elevated temperatures and a food source. There is no way to eliminate all these conditions in the environment.

A wide variety of building materials including concrete, wood products, vinyl siding and many others are subject to potential mold growth.

To minimize mold on your decking, clean your deck as often as needed, at least twice each year. Climate conditions vary in different regions of the country and may necessitate more periodic cleaning. Removal of leaves, debris, and other organic materials that provide a food source for mold development is important. If mold is present on your deck, there are many commercial products available for cleaning mold. We recommend the following commercial cleaners. For best results, be sure to follow the manufacturer's instructions and use cleaners within their stated shelf life. Do not mix recommended cleaning products together as harmful chemical reactions could occur. Never mix bleach and acids.

- Collier Manufacturing 30-Seconds® Outdoor Cleaner and 30-Seconds® Spray & Walk Away are heavy duty, mildly alkaline chlorinated mold and mildew removers/ cleaners that are biodegradable once rinsed into the soil, and have been tested to perform very well in

removing mold and mildew, and retarding its return.

Fiberon tested with excellent results, a coating option for areas in the country with high mold prone environments. Using the 30-day ASTM D3273 mold test, there was no mold growth after applying the weatherproofing finish. We have found the following coating effective on uncapped composite boards when applied and maintained as per the manufacturer's instructions.

- Behr Premium Transparent Deck, Fence, & Siding Weatherproofing Wood Finish at <http://www.behr.com>.

For more information on cleaning mold and mildew, see Fiberon Technical Bulletin # 13 at this link, <http://www.fiberondecking.com/design/literatureCenter>.

Tannin Stains

Tannins naturally occur in all wood species and sometimes migrate to the surface where wood fibers are exposed to sun and water. Tannin stains tend to disappear naturally after removal of standing water under mats, flower pots or umbrella stands where water is trapped for longer periods of time. To hasten removal of tannin stains, use a commercial deck cleaner designed specifically for your type of decking, strictly following the manufacturer's instructions. One effective treatment is a mixture of one cup TSP, one cup bleach and one gallon warm water, applied with a long-handled deck. To help protect landscaping, we recommend wetting down landscaping prior to treatment.

Salt and Calcium Chloride

Build up of salt and calcium chloride from snow and ice removal is easily removed with enough water and perhaps a light scrub. Use a garden hose or sprayer. If using a pressure washer, use at low pressures under 1,500 psi and at safe distances, 12" above deck, to avoid damaging your deck. Never use METAL shovels or sharp edged tools to remove snow and ice on the surface of any Fiberon composite or PVC decking product.

Construction Chalk

Colored chalk, used in construction for marking straight lines prior to cutting, is permanent on most surfaces. Contact the manufacturer of the specific brand and color of chalk for a cleaning solution that may prove effective. The best advice is to avoid colored chalk, using workable alternatives such as white chalk or baby powder.

For further information, contact: Fiberon, Consumer and Technical Support Department 198 Random Dr., New London, NC 28127 phone 800-573-8841 | fax 704-463-7330 | email info@fiberondecking.com | www.fiberondecking.com

FIB-0104-LIT REV E 10/12

Fiberon® - Care and Maintenance Outdoor Flooring, Horizon® and Pro-Tect® Decking

Important Considerations

- Ensure minimum six inches of ventilation under deck substructure and required spacing between decking boards.
- Improve drainage or grade soil to eliminate standing water under decks.
- Direct downspouts, downspout extensions and splash guards away from decks.
- Position dryer vents away from decks.
- Maintain a deck that is dry and clean.
- Clean your deck as often as needed, at least twice each year.
- Use extreme caution with pressure washers and use at pressures less than 1,500 psi at 12" above deck surface. Pressure washing is not recommended when mold/mildew are present on the deck.
- Keep debris out of gaps between the decking boards so rain showers can remove pollen and organic debris between cleanings.
- Minimize the use of wet mulch up against the deck structure.
- Items stored directly on top of the deck surface, such as flower pots, prohibit water evaporation and can cause some staining on the deck surface.

Ventilation

Make sure there is adequate and unobstructed air flow under the deck to prevent excessive water absorption. Improve drainage or grade flat areas where standing water may gather. For decks with limited ventilation, six inches of clear ventilation is required between bottom of joists and fascia to grade.

Mind the Gap

If the gap between decking boards is less than 3/16", organic debris such as leaves, seeds or pollen can settle on the deck and clog gaps. Water can pool, steeping organic debris that forms a "tea" or of tannin which may stain your deck. This organic debris is a strong food source for mold. Keeping the gap clean is the easiest way to keep the deck clean. If gapping becomes clogged, use a garden hose, a spatula, putty knife or similar tool to remove debris.

Clean Your Deck

Clean your deck as often as needed, at least twice each year to remove pollen, organic debris, dirt or stains. Generally, a broom or a blower will work better than a hose for removing scattered organic materials like leaves. For general cleaning, use soap and water or mild household cleaners.

Masonry Construction

It is important to protect decking during masonry construction. White or hazy residue from mineral deposits (efflorescence) can leach out of stone and masonry materials after water evaporates leaving the deposits behind. Minerals from soils in certain arid and mountainous environments can also cause a hazing affect when deposited on the deck surface.

This can only be prevented with complete and secure coverage of the decking surface area during the construction phase or installation of the decking after the masonry construction phase. To minimize this affect during masonry construction, keep materials dry and allow masonry and cement to cure properly.

For mineral deposits left on the decking surface, periodic cleaning is required to maintain visual attractiveness. Fiberon developed Fiberon Composite Deck Cleaner specifically formulated for, and effective in cleaning dirt, clay, mud, soil, mineral deposits and masonry and stucco residue. Be sure to follow the label instructions. Do not mix recommended cleaning products together as harmful chemical reactions could occur.

Important Ladder Usage Safety Instructions

When using a ladder, place the ladder on a piece of ¾" plywood firmly secured to the deck surface to disperse the load of the ladder's feet to nearby underlying joists. Drill fasteners downward through the top of the plywood sheet, into the deck board gaps and into the joists to keep the plywood from slipping. This avoids leaving holes in your decking once the plywood sheet is removed. Be sure to follow the ladder manufacturer's instructions and safety tips.

Mold and Mildew

Mold and mildew are common environmental conditions. Molds grow on decaying organic material such as wood, leaf decay and pollen. Tiny and lightweight, mold spores travel easily through the air. Different climates experience varying degrees of these conditions depending on the amount of moisture and heat present.

To thrive, mold and mildew need air, water, elevated temperatures and a food source. There is no way to eliminate all these conditions in the environment. A wide variety of building materials including concrete, wood products, vinyl siding and many others are subject to potential mold growth.

To minimize mold on your decking, clean your deck as often as needed, at least twice each year. Climate conditions vary in different regions of the country and may necessitate more periodic cleaning. Removal of leaves, debris, and other organic materials that provide a food source for mold development is important. If mold is present on your deck, use soap and

water to clean. For more information on cleaning mold and mildew, see Fiberon Technical Bulletin # 13 at this link, <http://www.fiberondecking.com/design/literatureCenter>.

Dirt and Grime

Dislodge accumulated dirt with a broom or by using soap and water and a non-metal scrub brush. Scrubbing in the direction of the grain is best. Thoroughly rinse off with a garden hose. Skilled professionals may use a pressure washer with wide fan tips, at low pressures under 1,500 psi and at safe distances, 12" above deck. In the wrong hands, your composite deck can be damaged. Exercise extreme caution.

Oil and Grease Stains

Speedy clean up is best. To clean grease and oil stains that soap and water cannot remove, some all purpose cleaners, such as Fantastik, will cut through grease and grime. Or use a commercial deck cleaner designed specifically for your type of decking. De-Solv-It Citrus Solution is effective in removing tar, asphalt, oil, grease and chewing gum. Be sure to follow the manufacturer's recommendations and test in an inconspicuous area prior to cleaning the entire deck.

Salt and Calcium Chloride

Build up of salt and calcium chloride from snow and ice removal is easily removed with enough water and perhaps a light scrub. Use a garden hose or sprayer. If using a pressure washer, use at low pressures under 1,500 psi and at safe distances, 12" above deck, to avoid damaging your deck. Never use METAL shovels or sharp edged tools to remove snow and ice on the surface of any Fiberon composite or PVC decking product.

Fire and Unusual Heat Sources

Composite decking will retain heat when exposed to direct or reflective sunlight. Exercise caution if walking barefoot as footwear may be required. Fire and unusual sources of heat and heat build-up can possibly damage Fiberon decking surfaces. Examples would include fire, reflected light from different types of glass (ex. low-e glass), fire features and under-deck waterproofing installations that do not provide the 6"(15 cm) of unobstructed net free ventilation.

- *Low-E Glass/Reflected Heat*

Low-emissivity glass is designed to prevent heat gain inside the house by reflecting sunlight outward. This reflective property can result in excessive heat build on the surface of Fiberon decking. The properties that Low-E glass employs to prevent passive heat gain within a structure can result in unusual heat build-up on exterior surfaces.

When the sunlight is reflected and concentrated it can harm a range of building materials that include doors, windows, siding, trim and decking. Damage caused to these products can include melting, sagging, warping, discoloration, increased expansion and contraction, and accelerated weathering.

If you have questions on how to reduce this risk, contact the manufacturer of the product which contains the Low-E glass for suggestions on how to reduce or eliminate the reflected heat.

- **Under-deck waterproofing systems**

Under-deck waterproofing systems, properly installed, can provide additional living or storage space. Improper installations are those that restrict air flow and result in build-up of heat and/or humidity which can result in unwanted consequences. Contact the manufacturer of the specific under-deck waterproofing system for installation instructions to ensure the required 6" (15 cm) of unobstructed ventilation is achieved for Fiberon decking. If already installed, seek methods to achieve the ventilation requirement.

- **Fire Features/Fire Pits**

Fire features and fire pits are increasingly popular in outdoor living environments. Fire can damage many building products including Fiberon decking. Improperly installed fire features and fire pits can cause damage to the surface of Fiberon decking via direct exposure to the flame or excessive radiated heat. Proper caution should be taken when designing, installing and using these features to ensure damage does not result.

Static

Dry or windy environments may create a temporary condition of static electricity, which will vary depending on climate and site conditions.

For further information, contact:
Fiberon, Consumer and Technical Support Department
198 Random Dr., New London, NC 28127
phone 800-573-8841 | fax 704-463-7330 | email info@fiberondecking.com | www.fiberondecking.com

FIB-0207-LIT REV E 7/12



Decking: Horizon Castle Gray
Railing: Horizon Mission Black with Round Metal Black Balusters



Decking: Horizon Castle Gray
Railing: Horizon Mission Black with Round Metal Black Balusters



Decking: Horizon Rosewood



Decking: Outdoor Flooring Jatoba
Railing: Horizon Inspirations White with Round Metal Black Balusters



Decking: Horizon Castle Gray
Railing: Horizon Mission Black with Round Metal Black Balusters



www.fibrondecking.com
1-800-573-8841



Visit our Photo Gallery

Beautiful outdoor living, built for life™

Fibron, Outdoor Flooring with Sensibuilt Lumenite Technology, Permatech, Fibron Pro-Tect, Phantom, Deck Pilot, Inspirations, Fiberail, Fibron Classic and ClearVisionSystem are trademarks of Fiber Composites, LLC, registered in the U.S. and other countries.

Find us on:



FIB-0040-LIT 11/12